

TECHNICAL INFORMATION BULLETIN

**FIFRA Section 2(ee) Recommendation
For the use of SERENADE® SOIL to suppress Southern blight in Tomatoes**

This recommendation is made as permitted by Section 2(ee) of FIFRA, as amended, and has not been submitted to or approved by the U. S. Environmental Protection Agency.

FOR DISTRIBUTION AND USE ONLY WITHIN THE STATES OF FLORIDA AND GEORGIA.

SERENADE® SOIL
EPA Reg. No. 69592-12

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling. For any requirements specific to your State or Tribe, consult the State or Tribal agency responsible for pesticide regulation.

This FIFRA Section 2(ee) recommendation contains new or additional directions for use of this product, which may not appear on the package label. Read and carefully observe the applicable directions, restrictions and precautionary statements plus all the other information appearing on the EPA-registered product label.

This recommendation must be in the possession of the user at the time of pesticide application.

Crop	Disease	Rate (Qt/acre)	Application Instructions
Tomatoes	Southern blight (<i>Sclerotium rolfsii</i>) Suppression only	2 - 6	<p>For suppression of Southern blight (<i>Sclerotium rolfsii</i>) In tomatoes, apply SERENADE SOIL in a program at seeding or transplanting, followed by repeat applications 21- and 42-days after emergence or transplanting as specified below. Use higher application rates when conditions are expected to be conducive to disease development, if the field has a history of disease problems, or if minimum/low till programs are in place. SERENADE SOIL can be mixed with chemical fungicides registered for soil applications.</p> <p>When applying as a spray (e.g., via hydraulic nozzles at low volumes), it is important to irrigate to move the material into the seed, root or transplant zone. Normal operation of overhead sprinklers and drip irrigation systems are sufficient for effective applications.</p> <p>Soil Surface (Drench) Applications At Planting: Use at planting, seeding or transplant. Mix 4 qt (128 fl oz) of SERENADE SOIL in the appropriate amount of water per acre. Apply finished spray mixture, at a rate to thoroughly soak the growing media through the root zone, as a drench or directed spray using hand-held, mechanical or motorized spray equipment, or as a chemigation drench or directed spray using applicable sprinkler or drip irrigation systems.</p>

			Soil Surface (Drench) Applications At Any Stage of Growth: Optimal performance is obtained with additional preventative treatments of SERENADE SOIL applied at a rate of 2 qt (64 fl oz)/acre repeated at 21- and 42-days after emergence or transplanting. Apply the finished spray mixture to the surface of the soil as a drench or directed spray using hand-held, mechanical or motorized spray equipment, or as a chemigation drench or directed spray using applicable sprinkler or drip irrigation systems.
--	--	--	--

Serenade® is a registered trademark of AgraQuest, Inc.
© Copyright AgraQuest, Inc. 2011.

081011

AgraQuest, Inc.
1540 Drew Avenue
Davis, CA 95618
(530) 750-0150
www.agraquest.com